


	MAX Case ...not max weight			MAX Case 2500+ lbs					Max Weight ...not max case		
DISCRPTION	CODE #	GRAM	QUANTITY			Product WEIGHT		FULL PALLET QTY'S		PALLET WEIGHT	
			PCS per BOX	BOX per Case	PCS per CASE	LBS per BOX	LBS per CASE	BOXEs	CASEs	KG	LBS
LEAD CLIP-ON UN-COATED											
Pb CLIP-ON Oz (un-coated)	REG-025-Pb	7	50	20	1000	0.8	15	1920	96	672	1482
Pb CLIP-ON Oz (un-coated)	REG-050-Pb	14	50	20	1000	1.5	31	1920	96	1344	2963
Pb CLIP-ON Oz (un-coated)	REG-075-Pb	21	50	20	1000	2.3	46	1320	66	1386	3056
Pb CLIP-ON Oz (un-coated)	REG-100-Pb	28	50	10	500	3.1	31	960	96	1344	2963
Pb CLIP-ON Oz (un-coated)	REG-125-Pb	35	50	10	500	3.9	39	780	78	1365	3009
Pb CLIP-ON Oz (un-coated)	REG-150-Pb	43	50	10	500	4.7	47	620	62	1333	2939
Pb CLIP-ON Oz (un-coated)	REG-175-Pb	50	25	10	250	2.8	28	960	96	1200	2646
Pb CLIP-ON Oz (un-coated)	REG-200-Pb	57	25	10	250	3.1	31	960	96	1368	3016
Pb CLIP-ON Oz (un-coated)	REG-225-Pb	64	25	10	250	3.5	35	840	84	1344	2963
Pb CLIP-ON Oz (un-coated)	REG-250-Pb	71	25	10	250	3.9	39	720	72	1278	2818
Pb CLIP-ON Oz (un-coated)	REG-275-Pb	78	25	10	250	4.3	43	650	65	1268	2794
Pb CLIP-ON Oz (un-coated)	REG-300-Pb	85	25	10	250	4.7	47	620	62	1318	2905
Pb CLIP-ON Oz (un-coated)	REG-325-Pb	92	20	10	200	4.1	41	650	65	1198	2641
Pb CLIP-ON Oz (un-coated)	REG-350-Pb	99	20	10	200	4.4	44	650	65	1290	2844
Pb CLIP-ON Oz (un-coated)	REG-375-Pb	106	20	10	200	4.7	47	650	65	1382	3047
Pb CLIP-ON Oz (un-coated)	REG-400-Pb	113	20	10	200	5.0	50	600	60	1361	3000
Pb CLIP-ON Oz (un-coated)	REG-450-Pb	128	15	10	150	4.2	42	600	60	1148	2531
Pb CLIP-ON Oz (un-coated)	REG-500-Pb	142	15	10	150	4.7	47	600	60	1276	2812
Pb CLIP-ON Oz (un-coated)	REG-550-Pb	156	15	10	150	5.2	52	480	48	1123	2475
Pb CLIP-ON Oz (un-coated)	REG-600-Pb	170	15	10	150	5.6	56	480	48	1225	2700
Pb CLIP-ON Oz (un-coated)	AW-025-Pb	7	50	20	1000	0.8	15	1920	96	672	1482
Pb CLIP-ON Oz (un-coated)	AW-050-Pb	14	50	20	1000	1.5	31	1920	96	1344	2963
Pb CLIP-ON Oz (un-coated)	AW-075-Pb	21	50	15	750	2.3	35	990	66	1040	2292
Pb CLIP-ON Oz (un-coated)	AW-100-Pb	28	50	10	500	3.1	31	960	96	1344	2963
Pb CLIP-ON Oz (un-coated)	AW-125-Pb	35	50	10	500	3.9	39	780	78	1365	3009
Pb CLIP-ON Oz (un-coated)	AW-150-Pb	43	50	10	500	4.7	47	620	62	1333	2939
Pb CLIP-ON Oz (un-coated)	AW-175-Pb	50	25	10	250	2.8	28	960	96	1200	2646
Pb CLIP-ON Oz (un-coated)	AW-200-Pb	57	25	10	250	3.1	31	960	96	1368	3016
Pb CLIP-ON Oz (un-coated)	AW-225-Pb	64	25	10	250	3.5	35	840	84	1344	2963
Pb CLIP-ON Oz (un-coated)	AW-250-Pb	71	25	10	250	3.9	39	720	72	1278	2818
Pb CLIP-ON Oz (un-coated)	AW-275-Pb	78	25	10	250	4.3	43	650	65	1268	2794
Pb CLIP-ON Oz (un-coated)	AW-300-Pb	85	25	10	250	4.7	47	620	62	1318	2905
Pb CLIP-ON Oz (un-coated)	MC-025-Pb	7	50	20	1000	0.8	15	1920	96	672	1482
Pb CLIP-ON Oz (un-coated)	MC-050-Pb	14	50	20	1000	1.5	31	1920	96	1344	2963
Pb CLIP-ON Oz (un-coated)	MC-075-Pb	21	50	15	750	2.3	35	990	66	1040	2292
Pb CLIP-ON Oz (un-coated)	MC-100-Pb	28	50	10	500	3.1	31	960	96	1344	2963
Pb CLIP-ON Oz (un-coated)	MC-125-Pb	35	50	10	500	3.9	39	780	78	1365	3009
Pb CLIP-ON Oz (un-coated)	MC-150-Pb	43	50	10	500	4.7	47	620	62	1333	2939
Pb CLIP-ON Oz (un-coated)	MC-175-Pb	50	25	10	250	2.8	28	960	96	1200	2646
Pb CLIP-ON Oz (un-coated)	MC-200-Pb	57	25	10	250	3.1	31	960	96	1368	3016
Pb CLIP-ON Oz (un-coated)	MC-225-Pb	64	25	10	250	3.5	35	840	84	1344	2963
Pb CLIP-ON Oz (un-coated)	MC-250-Pb	71	25	10	250	3.9	39	720	72	1278	2818
Pb CLIP-ON Oz (un-coated)	MC-275-Pb	78	25	10	250	4.3	43	650	65	1268	2794
Pb CLIP-ON Oz (un-coated)	MC-300-Pb	85	25	10	250	4.7	47	620	62	1318	2905
Pb CLIP-ON Oz (un-coated)	LT1-050-Pb	14	25	20	500	0.8	16	1920	96	680	1500
Pb CLIP-ON Oz (un-coated)	LT1-100-Pb	28	25	20	500	1.6	31	1800	90	1276	2812
Pb CLIP-ON Oz (un-coated)	LT1-150-Pb	43	25	15	375	2.3	35	1200	80	1276	2812
Pb CLIP-ON Oz (un-coated)	LT1-200-Pb	57	25	15	375	3.1	47	900	60	1276	2812
Pb CLIP-ON Oz (un-coated)	LT1-250-Pb	71	20	15	300	3.1	47	900	60	1276	2812
Pb CLIP-ON Oz (un-coated)	LT1-300-Pb	85	25	10	250	4.7	47	600	60	1276	2812
Pb CLIP-ON Oz (un-coated)	LT1-350-Pb	99	20	10	200	4.4	44	640	64	1270	2800
Pb CLIP-ON Oz (un-coated)	LT1-400-Pb	113	20	10	200	5.0	50	560	56	1270	2800
Pb CLIP-ON Oz (un-coated)	LT1-450-Pb	128	15	10	150	4.2	42	660	66	1263	2784
Pb CLIP-ON Oz (un-coated)	LT1-500-Pb	142	10	10	100	3.1	31	840	84	1191	2625
Pb CLIP-ON Oz (un-coated)	LT1-600-Pb	170	10	10	100	3.7	37	720	72	1225	2700

LEAD CLIP-ON	COATED										
Pb CLIP-ON Oz (coated)	MCc-025-Pb	7	25	20	500	0.4	8	1920	96	336	741
Pb CLIP-ON Oz (coated)	MCc-050-Pb	14	25	20	500	0.8	15	1920	96	672	1482
Pb CLIP-ON Oz (coated)	MCc-075-Pb	21	25	20	500	1.2	23	1920	96	1008	2222
Pb CLIP-ON Oz (coated)	MCc-100-Pb	28	25	20	500	1.5	31	1920	96	1344	2963
Pb CLIP-ON Oz (coated)	MCc-125-Pb	35	25	20	500	1.9	39	1440	72	1260	2778
Pb CLIP-ON Oz (coated)	MCc-150-Pb	43	25	10	250	2.4	24	960	96	1032	2275
Pb CLIP-ON Oz (coated)	MCc-175-Pb	50	25	10	250	2.8	28	960	96	1200	2646
Pb CLIP-ON Oz (coated)	MCc-200-Pb	57	25	10	250	3.1	31	920	92	1311	2890
Pb CLIP-ON Oz (coated)	MCc-225-Pb	64	25	10	250	3.5	35	840	84	1344	2963
Pb CLIP-ON Oz (coated)	MCc-250-Pb	71	25	10	250	3.9	39	720	72	1278	2818
Pb CLIP-ON Oz (coated)	MCc-275-Pb	78	25	10	250	4.3	43	660	66	1287	2837
Pb CLIP-ON Oz (coated)	MCc-300-Pb	85	25	10	250	4.7	47	600	60	1275	2811
Pb CLIP-ON Oz (coated)	AWc-025-Pb	7	25	20	500	0.4	8	1920	96	336	741
Pb CLIP-ON Oz (coated)	AWc-050-Pb	14	25	20	500	0.8	15	1920	96	672	1482
Pb CLIP-ON Oz (coated)	AWc-075-Pb	21	25	20	500	1.2	23	1920	96	1008	2222
Pb CLIP-ON Oz (coated)	AWc-100-Pb	28	25	20	500	1.5	31	1920	96	1344	2963
Pb CLIP-ON Oz (coated)	AWc-125-Pb	35	25	20	500	1.9	39	1440	72	1260	2778
Pb CLIP-ON Oz (coated)	AWc-150-Pb	43	25	10	250	2.4	24	960	96	1032	2275
Pb CLIP-ON Oz (coated)	AWc-175-Pb	50	25	10	250	2.8	28	960	96	1200	2646
Pb CLIP-ON Oz (coated)	AWc-200-Pb	57	25	10	250	3.1	31	920	92	1311	2890
Pb CLIP-ON Oz (coated)	AWc-225-Pb	64	25	10	250	3.5	35	840	84	1344	2963
Pb CLIP-ON Oz (coated)	AWc-250-Pb	71	25	10	250	3.9	39	720	72	1278	2818
Pb CLIP-ON Oz (coated)	AWc-275-Pb	78	25	10	250	4.3	43	660	66	1287	2837
Pb CLIP-ON Oz (coated)	AWc-300-Pb	85	25	10	250	4.7	47	600	60	1275	2811
Pb CLIP-ON Oz (coated)	Tc-025-Pb	7	25	20	500	0.4	8	1920	96	336	741
Pb CLIP-ON Oz (coated)	Tc-050-Pb	14	25	20	500	0.8	15	1920	96	672	1482
Pb CLIP-ON Oz (coated)	Tc-075-Pb	21	25	20	500	1.2	23	1920	96	1008	2222
Pb CLIP-ON Oz (coated)	Tc-100-Pb	28	25	20	500	1.5	31	1920	96	1344	2963
Pb CLIP-ON Oz (coated)	Tc-125-Pb	35	25	20	500	1.9	39	1440	72	1260	2778
Pb CLIP-ON Oz (coated)	Tc-150-Pb	43	25	10	250	2.4	24	960	96	1032	2275
Pb CLIP-ON Oz (coated)	Tc-175-Pb	50	25	10	250	2.8	28	960	96	1200	2646
Pb CLIP-ON Oz (coated)	Tc-200-Pb	57	25	10	250	3.1	31	920	92	1311	2890
Pb CLIP-ON Oz (coated)	Tc-225-Pb	64	25	10	250	3.5	35	840	84	1344	2963
Pb CLIP-ON Oz (coated)	Tc-250-Pb	71	25	10	250	3.9	39	720	72	1278	2818
Pb CLIP-ON Oz (coated)	Tc-275-Pb	78	25	10	250	4.3	43	660	66	1287	2837
Pb CLIP-ON Oz (coated)	Tc-300-Pb	85	25	10	250	4.7	47	600	60	1275	2811
Pb CLIP-ON Oz (coated)	FNc-005-Pb	5	25	20	500	0.3	6	1920	96	240	529
Pb CLIP-ON Oz (coated)	FNc-010-Pb	10	25	20	500	0.6	11	1920	96	480	1058
Pb CLIP-ON Oz (coated)	FNc-015-Pb	15	25	20	500	0.8	17	1920	96	720	1587
Pb CLIP-ON Oz (coated)	FNc-020-Pb	20	25	20	500	1.1	22	1920	96	960	2116
Pb CLIP-ON Oz (coated)	FNc-025-Pb	25	25	20	500	1.4	28	1920	96	1200	2646
Pb CLIP-ON Oz (coated)	FNc-030-Pb	30	25	20	500	1.7	33	1680	84	1260	2778
Pb CLIP-ON Oz (coated)	FNc-035-Pb	35	25	15	375	1.9	29	1440	96	1260	2778
Pb CLIP-ON Oz (coated)	FNc-040-Pb	40	25	15	375	2.2	33	1260	84	1260	2778
Pb CLIP-ON Oz (coated)	FNc-045-Pb	45	25	15	375	2.5	37	1080	72	1215	2679
Pb CLIP-ON Oz (coated)	FNc-050-Pb	50	25	10	250	2.8	28	960	96	1200	2646
Pb CLIP-ON Oz (coated)	FNc-055-Pb	55	25	10	250	3.0	30	960	96	1320	2910
Pb CLIP-ON Oz (coated)	FNc-060-Pb	60	25	10	250	3.3	33	840	84	1260	2778
Pb CLIP-ON Oz (coated)	IAWc-005-Pb	5	25	20	500	0.3	6	1920	96	240	529
Pb CLIP-ON Oz (coated)	IAWc-010-Pb	10	25	20	500	0.6	11	1920	96	480	1058
Pb CLIP-ON Oz (coated)	IAWc-015-Pb	15	25	20	500	0.8	17	1920	96	720	1587
Pb CLIP-ON Oz (coated)	IAWc-020-Pb	20	25	20	500	1.1	22	1920	96	960	2116
Pb CLIP-ON Oz (coated)	IAWc-025-Pb	25	25	20	500	1.4	28	1920	96	1200	2646
Pb CLIP-ON Oz (coated)	IAWc-030-Pb	30	25	20	500	1.7	33	1680	84	1260	2778
Pb CLIP-ON Oz (coated)	IAWc-035-Pb	35	25	15	375	1.9	29	1440	96	1260	2778
Pb CLIP-ON Oz (coated)	IAWc-040-Pb	40	25	15	375	2.2	33	1260	84	1260	2778
Pb CLIP-ON Oz (coated)	IAWc-045-Pb	45	25	15	375	2.5	37	1080	72	1215	2679
Pb CLIP-ON Oz (coated)	IAWc-050-Pb	50	25	10	250	2.8	28	960	96	1200	2646
Pb CLIP-ON Oz (coated)	IAWc-055-Pb	55	25	10	250	3.0	30	960	96	1320	2910
Pb CLIP-ON Oz (coated)	IAWc-060-Pb	60	25	10	250	3.3	33	840	84	1260	2778

DESCRIPTION	CODE #	WT/Gm	BX/PC	BX/CS	PC/CS	BX/WT	CS/WT	BX / PLT	CS / PLT	WT / KG	WT /LBS
LEAD STICK-ON		LOW PROFILE			SILVERish Spray Coating				Tape C.C.T.		
Pb <u>STICK-ON</u> Oz (coated)	PCL025-28-S-CCT	7	448	6	2688	6.9	41	480	80	1505	3319
Pb <u>STICK-ON</u> Oz (coated)	PCL025-52-S-CCT	7	832	4	3328	12.8	51	240	60	1398	3082
Pb <u>STICK-ON</u> Oz (coated)	PCL050-24-S-CCT	14	288	6	1728	8.9	53	360	60	1452	3200
Pb <u>STICK-ON</u> Oz (coated)	PCL050-44-S-CCT	14	528	4	2112	16.3	65	216	54	1597	3520
STEEL STICK-ON BOX		LOW PROFILE			GRAY & BLACK Powder Coating				Tape C.C.T. & A.W.T.		
Fe <u>STICK-ON</u> Gm (coated)	PC005-28-Z/G/B-CCT/AWT	5	504	6	3024	5.6	33	540	90	1361	3000
Fe <u>STICK-ON</u> Gm (coated)	PC005-48-Z/G/B-CCT/AWT	5	864	4	3456	9.5	38	320	80	1382	3048
Fe <u>STICK-ON</u> Oz (coated)	PC025-52-Z/G/B-CCT/AWT	7	624	4	2496	9.6	39	320	80	1398	3082
Fe <u>STICK-ON</u> Oz (coated)	PC025-28-Z/G/B-CCT/AWT	7	336	6	2016	5.2	31	540	90	1270	2800
Fe <u>STICK-ON</u> Oz (coated)	PC050-24-Z/G/B-CCT/AWT	14	192	6	1152	5.9	36	540	90	1452	3200
Fe <u>STICK-ON</u> Oz (coated)	PC050-44-Z/G/B-CCT/AWT	14	352	4	1408	11.0	44	288	72	1419	3129
STEEL STICK-ON LIGHT TRUCK BOX		STANDARD PROFILE			GRAY & BLACK Powder Coating				Tape C.C.T. & A.W.T.		
Fe <u>STICK-ON</u> Oz (coated)	PC050T-16-Z/G/B-CCT/AWT	14	192	6	1152	5.9	36	480	80	1290	2844
Fe <u>STICK-ON</u> Oz (coated)	PC050T-32-Z/G/B-CCT/AWT	14	384	4	1536	11.9	47	240	60	1290	2844
Fe <u>STICK-ON</u> Oz (coated)	PC100T-16-Z/G/B-CCT/AWT	28	96	6	576	5.9	36	480	80	1290	2844
Fe <u>STICK-ON</u> Oz (coated)	PC200T-16-Z/G/B-CCT/AWT	56	48	6	288	5.9	36	480	80	1290	2844
STEEL STICK-ON ROLL		LOW PROFILE			GRAY & BLACK Powder Coating				Tape C.C.T. & A.W.T.		
Fe <u>STICK-ON</u> Oz (coated)	PC005-1200R-Z/G/B-CCT/AWT	5	1200	3	3600	13.2	40	180	60	1080	2381
Fe <u>STICK-ON</u> Oz (coated)	PC025-840R-Z/G/B-CCT/AWT	7	840	3	2520	13.2	40	180	60	1058	2333
Fe <u>STICK-ON</u> Oz (coated)	PC050-420R-Z/G/B-CCT/AWT	14	420	3	1260	13.2	40	180	60	1058	2333



AP Global Resources Inc.



1685 Pitt River Rd.
 Port Coquitlam, B.C.
 V3C1P5, Canada
 1-450-601-0257
 sales@apglobalinc.com

WWW.APGLOBALINC.COM